

YOUXING ENTERPRISE



Room 12-702,HengJing Garden 70#,HaiGangRoad,zhuhai,China TEL:0756-2226502 2137288 FAX:0756-2137688
 Industry Zone,South of Rd,ShenWan Town,ZhongShan,China TEL:0760-6601502 6602502 FAX:0760-6600067
 No,25,4680Lane,BeisongRd,Chedun Town,SongJiangZone,ShangHai,China TEL:021-57605311 57602799 FAX:021-37600057
 Http://www.youxingchem.com www.masterbond.com.cn E-mail: masterbond@masterbond.com.cn
 Stick in you mind, Youxing stay in your life. Drop by drop and close in your life. Youxing. Masterbond fastest and strongest!!



Material Safety Sheet (MSDS)

FXM20040101-MSDSZS001

Date of issue: May , 2004

1. Chemical Product/Company Identifications

Product Name: Eyelash Adhesive (Masterbond Fxbond /Youxing)

Product Type: Acrylate Ethylhexyl and EVA Latex adhesive 7350C 4128 4129 4224

REFERENCE NO. FX-20040507ZS03

Item No.: FX-20040507ZS03

2. Manufacturer/Supplier YOUXING ENTERPRISE (ZHONGSHAN) ADHESIVE.CO.LTD

Address : South Rd,Shenwan Town, Zhongshan, GuangDong, China

Phone Number 86 756 2226502

Fax Number 86 756 2137688

Emergency Phone Number +86 760 86600017 **Fax Number** 86 760 86600019

Quality Target: Order no.; FXXY7350 and Y7350B AE6060 and 225-1092

All the materials are fit to FDA (U.S.A.) standard. 21CFR 175.105 for the water-based adhesive.

Adhesive type	Acrylate and EVA Latex	viscosity:	300-700mpa.S
Solid Content %:	48±2	appearance:	milky white
PH Value:	7±0.5	Bond character:	excelent
Aqua:	water	Activation temperature :	60℃

3. Hazards identification

The product is not hazardous to health or the environment according to EU criteria.

4. First-aid measures

In case of skin contact wash off with soap and plenty of water (do not allow to dry). In case of eye contact rinse carefully and thoroughly with water and seek medical advice. Should the product be swallowed seek medical advice.

5. Fire-fighting measures

Extinguishing media: CO₂, foam, dry powder;

in cases of larger fires, water spray should be used.

In case of fire be aware of formation of noxious fumes. Firemen have to wear self-contained breathing apparatus.

6. Accidental release measures

Avoid entry into the sewage system (danger of clogging). Ensure adequate ventilation /exhaust ventilation. Keep unauthorized persons away.

Remove mechanically; cover residues with chemical binder or, if necessary with dry sand and store in closed containers.

For further disposal measures see chapter 13.

7. Handling and storage

Keep container tightly closed. Further information on the storage conditions which must be observed to preserve quality can be found in our product information sheet.

YOUXING ENTERPRISE



Room 12-702,HengJing Garden 70#,HaiGangRoad,zhuhai,China TEL:0756-2226502 2137288 FAX:0756-2137688
 Industry Zone,South of Rd,ShenWan Town,ZhongShan,China TEL:0760-6601502 6602502 FAX:0760-6600067
 No,25,4680Lane,BeisongRd,Chedun Town,SongJiangZone,ShangHai,China TEL:021-57605311 57602799 FAX:021-37600057
 Http://www.youxingchem.com www.masterbond.com.cn E-mail: masterbond@masterbond.com.cn
 Stick in you mind, Youxing stay in your life. Drop by drop and close in your life. Youxing. Masterbond fastest and strongest!!



VCI storage class: 12

(VCI = German Association of the Chemical Industry)

When handling observe the usual precautionary measures for chemicals. During processing, ensure efficient exhaust ventilation in the working area.

Avoid contact with skin and eyes and the inhalation of vapor.

8. Exposure controls/Personal protection

Wear suitable protective clothing, protective gloves and protective goggles/mask.

Suitable materials for safety gloves.

Recommendation: contaminated gloves should be disposed of.

Respiratory protection must be worn in work areas with inadequate ventilation, e.g. when cleaning or carrying out maintenance on containers.

Keep away from foodstuffs, drinks and tobacco. Wash hands before breaks and at end of work. Keep working clothes separate. Change badly soiled or soaked clothing.

9 . Physical and chemical properties

Appearance	liquid
Color:	milky white
Initial boiling point:	approx. 100°C (water)
Viscosity:	approx. 300-700 mPa·s
Solubility in water:	Soluble
pH value:	approx. 8.0
Solid:	53

10 . Stability and reactivity

Thermal decomposition:

At constantly high temperatures decomposition of dry matter.

Hazardous decomposition products: Formation of combustible and noxious fumes during thermal decomposition.

Hazardous reactions: No hazardous reactions observed.

11 . Toxicological information

Toxicological studies of a comparable product

Skin 24 hours exposure – non-irritant

Eyes 24 hours exposure – non-irritant

12 . Ecological information

Mobility and bioaccumulation potential, and degradation is expected in soil environment.

13 . Disposal considerations

The relevant EU Directives and local, regional and national regulations must be complied with.

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

After final product withdrawal, all residues must be removed from containers (drip-free, powder-free or paste-free). Containers must be recycled in compliance with national legislation and environmental regulations.

14 . Transport information

GGVSE: - - UN: NODG PG: - -

RID/ADR: - - UN: NODG PG: - -

ADNR: - - UN: NODG PG: - -

YOUXING ENTERPRISE

Room 12-702,HengJing Garden 70#,HaiGangRoad,zhuhai,China TEL:0756-2226502 2137288 FAX:0756-2137688
 Industry Zone,South of Rd,ShenWan Town,ZhongShan,China TEL:0760-6601502 6602502 FAX:0760-6600067
 No,25,4680Lane,BeisongRd,Chedun Town,SongJiangZone,ShangHai,China TEL:021-57605311 57602799 FAX:021-37600057
 Http://www.youxingchem.com www.masterbond.com.cn E-mail: masterbond@masterbond.com.cn
 Stick in you mind, Youxing stay in your life. Drop by drop and close in your life. Youxing. Masterbond fastest and strongest!!

GVV See/IMDG Code: - - UN: NODG PG: - - MPC: - -

ICAO-TI/TATA-DEG: - - UN: NRES PG: - -

Declaration for land shipment: - -

Declaration for sea shipment: - -

Declaration for shipment by air: - -

Not dangerous cargo. No special conditions for transport and storage.

15. Regulatory information

No labeling is required in accordance with the EEC directives.

16. OTHER INFORMATION

Disclaimer: The data contained herein are furnished for informational purposes only and are believed to be reliable. However, YOUXING Chemical Company Limited does not assume responsibility for any results obtained by persons over Whose methods YOUXING Chemical Company Limited has no control. It is the user's responsibility to determine the suitability of YOUXING Chemical's products or any production methods mentioned herein for a particular purpose. And to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any YOUXING Chemical Company Ltd's products,

YOUXING ENTERPRISE (ZHONGSHAN) ADHESIVE CO., LTD.
FANG XUEXING

End of Document